

THERMODYNAMIX
 THERMOFORMING
 SPECIALIST SERVICES
 UNIT 3, PRINCES PARK
 PRINCESWAY NORTH
 TEAM VALLEY TRADING
 ESTATE
 GATESHEAD
 NE11 0NF
 Attn: David Devine

Test Report No. BAN 172823/1a
Issue Date: 11th April 2013
Amending & Superseding Test Report BAN172823/1

The following sample was submitted and identified by the client as:

Sample Name: ECOFORM

Sample Description: Clear opaque plastic.

Sample Reference: O/N 23455

Sample Receiving Date: 15th February 2013

Testing Period: Testing conducted between 13th March 2013 and 18th March 2013.

Test Requested: Please refer to the result summary.
(Please note that this testing was conducted at another laboratory within the SGS group of companies)

Test Method & Results: Please refer to next page

Result Summary:

Test Item	Conclusion
US FDA 21 CFR 177.1630(Polyethylene phthalate polymers) – Determination of Amount of Net Chloroform Soluble Extractives	Pass

Signed for and on behalf of
 SGS United Kingdom Ltd.



Jo Pinkess BA (Hons) C Text ATI
 Operations Manager

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

Test Results:

US FDA 21 CFR 177.1630 – Determination of Amount of Net Chloroform Soluble Extractives

For containing ≤ 50% by volume alcoholic beverage

Method: With reference to 21 CFR 177.1630 (g)

Extractants	Test Condition	Result (mg/inch ²)	Reporting Limit (mg/inch ²)	Permissible Limit (mg/inch ²)
		1		
Distilled Water	250 °F for 2 hours	ND	0.1	0.5
50% Ethanol	120 °F for 24 hours	0.1	0.1	0.5
n-Heptane	150 °F for 2 hours	ND	0.1	0.5
Comment	--	PASS	--	--

Sample Description

1. Clear Opaque Plastic

Note: 1. (mg/inch²) = milligram per square inch
 2. °F = degrees Fahrenheit
 3. ND = Not Detected



SGS authenticate photo on original report only

End of Report

This document is issued by the Company subject to its [General Conditions of Service](http://www.sgs.com/terms_and_conditions.htm), available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.